



**PilotGroup.Net**  
*Solutions for e-Business*



# Dating Pro

## PG Dating Pro

### Installation Instructions

<http://www.pilotgroup.net>

1-866-282-1029

1-888-228-8440 (toll free)

© PilotGroup.Net 2009



# I. System Requirements:

- PHP 4.0 or greater (for PHP 5 - MySQL extension should be installed)
- MySQL 3.23.0 or greater. MySQL-encoding: UTF-8 Unicode (utf8\_general\_ci). MySQL connection compatibility: UTF-8
- *Zend Optimizer* (software Basic package and Free trial requirement only)
- *safe\_mode, open\_basedir* restriction switched off (optional but preferable; Invite Friends module requirement)
- *curl* - download version requires OpenSSL enabled (Invite Friends module requirement)
- *ffmpeg support* switched On (required to activate Video2Flash option at your site)
- *Cronjobs/scheduler support* (necessary for site users to receive auto email alerts)

# II. Installation instructions:

## 1. Installation steps:

Upload files to your ftp server using any FTP software which you have installed at your computer.

Please note: With Basic License use **Binary transfer mode** when uploading source codes - this is a strict requirement of Zend encoded files.

## 2. MySQL Database Creation

Create empty MySQL database and add a new user to this database. Database user should have all the rights (DBA) because our script will use this user's parameters to populate the database with needed tables and data.

Note: To be on the safe side, it's advised to make a backup of the whole database at least once a month. Please don't forget to do it.

## 3. Run Installation Script. License agreement.

Go to <http://www.yourdomain.com/install/> (where [www.yourdomain.com](http://www.yourdomain.com) is your site name). At Step1 you'll be asked to agree with license agreement to continue the installation.

## 4. Step2 - File Permissions Setup

Give CHMOD 777 (read/write and execute for Windows server) to the folder where the script is located, and to the following folders:

templates\_c\  
uploads\  
uploads\audio\  
uploads\banners\  
uploads\icons\  
uploads\kisses\  
uploads\photos\  
uploads\stories\  
uploads\subscribes\  
uploads\taketour\  
uploads\video\  
include\config.xml  
include\admin\_menu.xml  
include\newsletter\_log.txt  
include\badwords.txt



```
install\install_log.txt
install\bases\
install\bases\dating_pro_base_temp.sql
flash_chat\appdata\
flash_chat\appdata\bots.txt
flash_chat\bot\programe\aiml\
flash_chat\images\cust_img\
flash_chat\inc\patServer\
flash_chat\templates\cache\
flash_chat\templates\templates_c\
flash_chat\uploadir\
backup\
languages\
languages\mail\
languages\bosnian.lang
languages\danish.lang
languages\english.lang
languages\french.lang
languages\german.lang
languages\italian.lang
languages\portuguese.lang
languages\russian.lang
languages\spanish.lang
languages\temp_file.lang
languages\mail\bosnian.lang
languages\mail\danish.lang
languages\mail\english.lang
languages\mail\french.lang
languages\mail\german.lang
languages\mail\italian.lang
languages\mail\portuguese.lang
languages\mail\russian.lang
languages\mail\spanish.lang
languages\mail\temp_file.lang
```

Press "Next" when you are done with permissions setup:



### Step 1: Your Server Environment

In this step, the Dating Pro installer will determine if your system meets the requirements for the server environment. To use Dating Pro system you must have PHP with MySQL support, and write-permissions on certain files.

Congratulations! You may continue the installation. Click 'next' button to continue.

next>>

PHP version >= 4.1.2:	+
MySQL support exists:	+
Check file permissions:	+
templates_c\ is writable:	+
uploades\ is writable:	+
uploades\audio\ is writable:	+
uploades\banners\ is writable:	+
uploades\gallery\ is writable:	+
uploades\icons\ is writable:	+
uploades\kisses\ is writable:	+
uploades\news\ is writable:	+
uploades\photos\ is writable:	+
uploades\stories\ is writable:	+
uploades\subscribes\ is writable:	+
uploades\taketour\ is writable:	+

**Note:** Permissions 777 (rwxrwxrwx) - you can do that by right clicking on the script file or directory in your FTP client software dialog box and choosing CHMOD or Set File Attributes.

**Note 2:** Sometimes you will have to give CHMOD 777 to public\_html directory and this is definitely forbidden by most of hosting companies. You shouldn't be worried about it because you can simply give CHMOD 777 for the period of installation and right after installation you can make the original permissions level.

**Note 3:** If you use Windows server, then you should either yourself give all rights to Internet Guest account for the above-mentioned folder or ask your hosting company to do it.

## 5. Install Online

Install the script (info will be inserted by installation script and you are just to check it up and correct if something is wrong).

**Note:** After installation you can face the following situation: After you enter in your browser [www.yoursite.com](http://www.yoursite.com) (in the case if script is installed in your site root) you can see a blank page.

Please don't be afraid, the possible matter is in not very correct server settings. Just try to enter [www.yourdomain.com/index.php](http://www.yourdomain.com/index.php) and you will see your site. Also you can check the following:

- 1) Go to your FTP>software files
- 2) Open to edit common.php file. The root section should empty if your site's installed in a root. The root section should have "/folder\_name" if you install in a folder.



Feel free to contact our support managers for help.

Step 2: Database & Server Configuration

The Dating Pro installer needs some information about your database to finish the installation. If you do not know this information, then please contact your website host or administrator. Please note that this is probably NOT the same as your FTP login information!

**Database Info**

db host: localhost  
db name: dating  
db user: root  
db password:   
db Prefix: pro\_

**Server Info**  
If site's installed in a root, this section's empty

Server Name: http://localhost  
Site Root: /datingjuly2007/src\_dating\_pro\_of  
Site Path: y:/home/localhost/www/datingjuly

next>>

### 5.1 Database formation


Then, when you press Next button, the system will automatically create and fill in tables in your new database. Please just wait while the system is working.

If the system says that "it cannot access database", "cannot create database", this might mean:

- That your db user does not have permissions. Please check.
- That you have inserted incorrect data for parameters "db name, user". You might need to add DB prefix to the name of your database and user. You can check for it in your hosting panel. Usually it's the name of Cpanel user.



Step 2: Database & Server Configuration : Creating DB



<<Back Next>>

### 5.2 Administrator access setting

When the database is made, you'll be able to setup the access for your Administration panel and administrator email (to where all alerts will come):

Step 3: Site Settings

**Administrator Info**

administrator name:

administrator login:

password:

re-password:

admin email:

Press "Next" when done.

## 6. Cron Jobs (Sheduler) Settings

After installation is complete, don't forget to set necessary files to cron jobs (for Windows Server – Sheduler).

The files are:

- /admin/admin\_cron\_birthday.php
- /admin/admin\_cron\_news.php
- /admin/admin\_cron\_newuser.php



/admin/admin\_cron\_perfect.php  
/admin/admin\_cron\_feeds.php  
/admin/admin\_cron\_del\_pays.php

They are necessary for users to receive system messages like alerts, etc. See Cron jobs Help page.

## 7. Additional Installation scripts: Countries, IP countries, Languages packages.

When the main site software is installed, you can install all databases at once or skip it to go to view the site and install them later.

We'll describe full installation for you now. Here's when you will see after main site's installed:

Welcome to the Ready Dating Site Installation Program!

Pilotgroup Dating Site is successfully installed!

Please don't forget to set the following file to cronjobs:  
 /admin/admin\_cron\_birthday.php  
 /admin/admin\_cron\_news.php  
 /admin/admin\_cron\_newuser.php  
 /admin/admin\_cron\_perfect.php  
 /admin/admin\_cron\_feeds.php  
 /admin/admin\_cron\_del\_pays.php  
 (they are necessary for users to receive system messages like alerts, etc.)

You can install countries, language IP identification database and additional languages from our database now. Just choose the things you want to configure now and press "Install" to run the installations and choose a list of items you want to be installed one by one.

If you plan to install them later, then press "Skip & Finalize" to finalize installation.

**Install countries** (For searches and profiles. Installed together with regions and cities)

**Install language IP identification database** (Necessary for automatic site language identification for your users when they just come to a site)

**Install additional language packs** (We have 4 languages in a default package – English, Russian, German, French. We offer more language files for your site here)

install>> skip & finalize

Activate necessary installation scripts and press "Install" button. Press "Skip&Finalize" to quit installation script at this point.

**Install countries** - will allow you to install countries database together with regions and cities to your site. You'll be able to choose which countries to install.

**Install languages IP identification database** – will allow you to activate feature on a site which will identify the country a person comes from and will show appropriate language pack for him.

**Install additional language packs** – now default version has 2 languages pre-installed Russian and English. You can install all other language packs we have here. It's free.

### 7.1 Install countries

First the system will ask you to set up permissions for countries files in your FTP:



### Step 1: Your Server Environment

In this step, the installer will determine if your system meets the requirements for the server environment. To continue install process you must have PHP with MySQL support, and write-permissions on certain files.

Congratulations! You may continue the installation. Click 'next' button to continue.

PHP version >= 4.1.2:	+
MySQL support exists:	+
Dating Pro Installed:	+
Check file permissions:	+
install/countries/bases/ is writable:	+
install/countries/install_log.txt is writable:	+

Then you should choose the countries you would like to install and press "Next". When you're done, you'll see the following page:

### Welcome to the Ready Dating Site Installation Program!

Your chosen <countries> have been successfully installed. Please press Next to go to the next package installation.

Press "next" to move to the next installation.

## 7.2 Installation of languages IP identification database

The system will automatically start the IP database installation. You'll be asked to set up permissions for a certain number of files:



### Step 1: Your Server Environment

In this step, the installer will determine if your system meets the requirements for the server environment. To continue install process you must have PHP with MySQL support, and write-permissions on certain files.

Congratulations! You may continue the installation. Click 'next' button to continue.

PHP version >= 4.1.2:	+
MySQL support exists:	+
Dating Pro Installed:	+
Check file permissions:	+
install/ip_countries/bases/ is writable:	+
install/ip_countries/install_log.txt is writable:	+

Then the system will automatically install the IP countries database. You'll see the following message, when it's done:

### Welcome to the Ready Dating Site Installation Program!

Your chosen <IP language identification packs> have been successfully installed.  
Please press Next to go to the next package installation.

Press Next to go on and install Languages packs.

### 7.3 Install additional language packs

You have 2 languages installed by default: Russian and English. You can add more with this installation script.

Set up permissions for the languages, choose languages you wish to install:



Step 2: Indicate Languages Form

In this step, you must determine what countries will be used on your site

Please, pay attention to the fact that the more cities are checked, the more time installation will take and the more room you will need on your server. The total of all cities' information is about 300Mb. We don't recommend you checking countries which will not be used in the future. City table includes comparatively small regions alongside with cities that's why there is no need to indicate user city name manually.

After checking needed countries, please, click 'next' button to continue.

<input type="button" value="Select All"/>				<input type="button" value="Unselect All"/>			
German	<input type="checkbox"/>	Danish*	<input type="checkbox"/>	Italian*	<input type="checkbox"/>	Bosnian*	<input type="checkbox"/>
Portuguese*	<input type="checkbox"/>	Spanish	<input type="checkbox"/>	Chinese*	<input type="checkbox"/>		<input type="checkbox"/>

\* means the language file is semi-translated. If you want to become a translator for the language and get bonuses from us, feel free to [contact us!](#)

Then the system will install the languages you have chosen.

Note: you'll be able to add more languages if necessary from administration mode. You'll have to translate language files though.

### 8. Installation Folder

Please, remove or rename the installation folder!

Its name is "install". The new name of the folder should exclude "install" word. You may need this folder again to install countries.

Note: After installation you can face the following situation: After you enter in your browser [www.yoursite.com](#) (in the case if script is installed in your site root) you can see a blank page. Please don't be afraid, the possible matter is in not very correct server settings. Just try to enter [www.yourdomain.com/index.php](#) and you will see your site.

Install folder Error!

Please, remove or rename the installation folder!  
It's name is "install". The new name of the folder should exclude "install" word.

After that your site will be installed and you will see the following at your domain:



[Sign Up Now](#) | [English](#) | [Take tour](#) | [Help](#) | [Member Login](#)

MEMBER LOGIN

Username:

demo

Password:

demo

Remember me

[Forget your password?](#)



**Post your profile and meet someone new!**

[Click here to begin](#)

QUICK SEARCH

I am

Female

seeking a

Male

Single  Couple

between the ages of

18 and 80

Country

Please select...

Region

Please select...

City

Please select...

Zip code (U.S. only)

with photo

online now

NEW FACES



TOP MEMBERS



**karolina**  
28 years old

[View more](#)


LATEST UPLOADS




Category: [Family](#)  
Author: [MarkGuy](#)  
Album: [My life](#)



Category: [Hobby](#)  
Author: [MarkGuy](#)  
Album: [My life](#)



Category: [Erotic](#)  
Author: [Akron](#)  
Album: [Sports](#)



Category: [Sport](#)  
Author: [Akron](#)  
Album: [Sports](#)



Category: [Miscellaneous](#)  
Author: [jenex](#)  
Album: [Parties](#)



Category: [Portrait](#)  
Author: [jenex](#)  
Album: [Parties](#)

[View more](#)

Welcome to Dating Pro, professional service for Online Dating and Networking. Millions of members worldwide, from all walks of life, backgrounds, professions and ages, who are looking for others to share their experiences with. New singles are joining all the time, and many are making connections every day.

Want to join in? Just create a free profile, post up to 4 photos, and soon you'll be exploring our incredible personals. Online personals couldn't be easier! You can even upgrade to a Premium Membership for email, instant messaging, and real-time chat. For real relationships, romance, friendships and more, Dating Pro is the place for you. Get started today and find your match!

NEWS

[How to find Broadway's best...](#)

[The perks of motherhood](#)[In 'The Mommy Brain: How Mo...](#)

[View more](#)